

PRODUCT CATALOG 2026



Premium Medical Equipment Solutions
Delivering Excellence in Quality since 1973

<https://www.livingaid.com.hk/>





Manual Wheelchair

Manual wheelchair is a mobility device designed for individuals who have difficulty walking or require assistance with mobility. It is propelled by the user through hand rims attached to the wheels or can be pushed by a caregiver.



18-Inch Lightweight Wheelchair

Model: LA1001

1.Frame: formed by aluminum alloy , using fixed armrests, foot rests, foldable structure, good safety performance, surface oxidation or spray plastic treatment, beautiful and durable.

2.Seat cushion: Oxford nylon cloth cover, containing more than 300d canvas inner cover of the combination of sewing structure, high tensile strength.

3.Front wheel: 6-inch (150mm) PVC+PP integrated solid wheel, configured with high-strength engineering plastic wheels, non-inflatable solid tires.

4.Rear wheel: 16"(400mm) inflatable rear wheel, configured for high-strength polymer wheels.

5.Foot pedals: The foot pedal height is adjustable.

Aluminum Light Weight Chair Frame, Fixed Armrest& Footrest, Solid Castor, Pneumatic Mag Rear Wheel, With United Brake.

Name	Parameters
Total length	90.5 cm
Total width	54cm
Total high	89cm
Fold width	28cm
Seat width	39cm
Seat depth	36cm
Seat height off the ground	49cm
Armrest height	18.5cm
Distance between handrails	44 cm
Foot pedal height off the ground	adjustable
Backrest height	39.5cm
Front wheel diameter	15cm
Rear wheel diameter	40cm
Maximum load	100
Net weight	10.6kg
Carton size	80*28*91



Heavy Duty Lightweight Wheelchairs

Model: LA1002

1. Superior comfort.
2. Aluminum frame with good safety performance,
3. Wheels with high-quality tires ensure shock absorption and durability.
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Detachable foot rest, foot pedal height adjustable;
6. Enjoy a cozier experience as you roll around in this wheelchair.

Aluminum Chair Frame, Flip-up And Height-adjustable Inclined Armrest. Detachable Elevating Footrest, Pu Castors, Quick Release Pu Rear Wheel, Anti-tippers.

name	parameter
Total length	Cm
Total width	67cm
Total high	93cm
Packing size (L*W*H/pcs).	83*31*91/1
Fold width	Cm
Backrest height	Cm
Seat depth	Cm
Seat width	46cm
Seat height off the ground	50cm
Front wheel diameter	18cm
Rear wheel diameter	60cm
Maximum load	100kg
Net weight	20.4kg



Aluminum Lightweight Wheelchair

Model: LA1003

- 1.Superior comfort.
- 2.Aluminum frame with good safety performance,
- 3.Wheels with high-quality tires ensure shock absorption and durability.
- 4.Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
- 5.Enjoy a cozier experience as you roll around in this wheelchair.

- Aluminum frame
- Elevating footrest
- Flip-up and height adjustable armrest
- Solid castor
- Quick release pneumatic rear wheel
- Anti-tippers

name	parameter
Total length	109cm
Total width	66cm
Total high	91cm
Packing size (L*W*H/pcs).	80*34*93/1
Fold width	Cm
Backrest height	40Cm
Seat depth	Cm
Seat width	46cm
Seat height off the ground	51cm
Front wheel diameter	15cm
Rear wheel diameter	61cm
Maximum load	100kg
Net weight	17.7kg



Aluminum Wheel Chairs

Model: LA1004

- 1.Superior comfort.
- 2.Aluminum frame with good safety performance,
- 3.Wheels with high-quality tires ensure shock absorption and durability.
- 4.Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
- 5.Enjoy a cozier experience as you roll around in this wheelchair.

- Aluminum chair frame
- PU castor
- Angle- adjustable footplate
- With carrying wheel
- Quick release pneumatic rear wheel
- Detachable footrest
- Flip-up and height-adjustable Inclined armrest

name	parameter
Total length	103cm
Total width	64cm
Total high	91cm
Packing size (L*W*H/pcs).	87*33*94/1
Fold width	Cm
Backrest height	37Cm
Seat depth	Cm
Seat width	46cm
Seat height off the ground	51cm
Front wheel diameter	17.5cm
Rear wheel diameter	62cm
Maximum load	100kg
Net weight	15.5kg



Aluminum Lightweight Wheelchairs

Model: LA1005

- 1.Superior comfort with flip up armrest and detachable footrest
- 2.Aluminum frame with good safety performance,
- 3.Quick release 24" rear wheels with high-quality tires ensure shock absorption and durability.
- 4.Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
- 5.Enjoy a cozier experience as you roll around in this wheelchair.

ALUMINUM CHAIR FRAME
 FLIP-UP ARMREST WITH HEIGHT ADJUSTABLE ARMREST PAD
 DETACHABLE FOOTREST
 QUICK RELEASED PU REAR WHEEL

name	parameter
Total length	100cm
Total width	66cm
Total high	90cm
Packing size (L*W*H/pcs).	80*28*91/1
Fold width	Cm
Backrest height	38Cm
Seat depth	44Cm
Seat width	46cm
Seat height off the ground	52cm
Front wheel diameter	15cm
Rear wheel diameter	62cm
Maximum load	100kg
Net weight	15.5kg



16 Inch Lightweight Wheelchair

Model: LA1006

1. Superior comfort with oxford nylon cloth cover
2. Aluminum frame with good safety performance,
3. 6 inch castor and 12 inch rear wheels with high-quality tires ensure shock absorption and durability.
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Enjoy a cozier experience as you roll around in this wheelchair.

Name	Parameters
Total length	96cm
Total width	63cm
Total high	91cm
Fold width	26cm
Seat width	46cm
Seat depth	40cm
Seat height off the ground	51cm
Armrest height	22cm
Distance between handrails	46cm
Foot pedal height off the ground	adjustable
Backrest height	37cm
Front wheel diameter	15cm
Rear wheel diameter	40cm
Maximum load	100kg
Net weight	13.7kg



Ultralight Aluminum Pediatric Wheelchair

Model: LA1007

1. Foldable aluminum alloy frame, which is convenient for transportation and storage.

2. Adjustable pedals: The wheelchair is equipped with pedals, the height of which can be adjusted, the pedals are made of soft plastic material, and the pedals are foldable.

3. Seat angle adjustment: the seat frame and the backrest frame are supported by sliding adjustment rods, the angle of the seat or the backrest can be changed by adjusting the length of the sliding rods, and the adjustment range of the seat cushion and the ground is about 0-30°; The backrest angle adjustment range is about 95-150°.

4. Seat: The seat is a car child safety seat. The material of the seat bracket is non-toxic, non-polluting plastic, non-allergenic, safe, high strength and light weight; the surface is wrapped by high-grade breathable cloth, which is comfortable and safe.

Aluminum Chair Frame, Reclining High Back, Tilting Seat, Detachable Seat And Back, Solid Castor, Pu Mag Rear Wheel, Safety Belt.

Name	Parameters
Total length	930mm
Total width	440mm
Total high	1020-1120mm
Seat width	310mm
Seat depth	370mm (390)
Seat height off the ground	500mm
Armrest height	110mm
Foot pedal height off the ground	280-350mm
Backrest height	580-680mm
Front wheel diameter	150mm
Rear wheel diameter	300mm
Maximum load	70kg
Net weight	15kg



Drive Lightweight Expedition Transport Wheelchair

Model: LA1008

1. Pediatric wheelchair with 35cm seat width
2. Aluminum frame with color powder coating ,with good safety performance,
3. 22" rear wheels with high-quality tires ensure shock absorption and durability.
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Enjoy a cozier experience as you roll around in this wheelchair.

- Aluminum pediatric wheelchair
- Solid castor
- Flip-up armrest
- Pneumatic rear wheel
- Fixed footrest
- Drop back handle

name	parameter
Total length	97cm
Total width	52.5cm
Total high	89cm
Packing size (L*W*H).	87*29*69/1
Fold width	29cm
Backrest height	44cm
Seat depth	36cm
Seat width	35cm
Seat height off the ground	47cm
Front wheel diameter	15cm
Rear wheel diameter	58cm
Maximum load	100kg
Net weight	13kg



Pediatric Manual Wheelchair

Model: LA1009

1. Children wheelchair seat width 35cm
- 2.Strong steel pipe, frame surface chromed , with good safety performance,
- 3.22 inch rear wheels with high-quality tires ensure shock absorption and durability.
- 4.Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back. 5.Enjoy a cozier experience as you roll around in this wheelchair

Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.

Name	Parameters
Total length	980mm
Total width	550mm
Total high	880mm
Fold width	230mm
Seat width	350mm
Seat depth	360mm
Seat height off the ground	470mm
Armrest height	240mm
Distance between handrails	350mm
Foot pedal height off the ground	adjustable
Backrest height	390mm
Front wheel diameter	150mm
Rear wheel diameter	550mm
Maximum load	100kg
Net weight	16.2kg



Standard Manual Wheelchair

Model: LA1010

1. Superior comfort with fixed armrest and footrest
2. Steel frame with good safety performance,
3. 12 inch wheels with high-quality tires ensure shock absorption and durability.
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Enjoy a cozier experience as you roll around in this wheelchair.

- Powder coating steel frame
- Pneumatic mag rear wheel
- Double cross bar
- Solid castor
- Drop back handle
- Fixed armrest
- United brake
- Flip-up footrest

name	parameter
Total length	98cm
Total width	60cm
Total high	90cm
Packing size (L*W*H/pcs).	71*28*71.5
Fold width	28cm
Backrest height	44cm
Seat depth	36cm
Seat width	46cm
Seat height off the ground	48cm
Front wheel diameter	15cm
Rear wheel diameter	31cm
Maximum load	100kg



High Back Steel Manual Wheelchair

Model: LA1011

Frame:Steel chromed Front wheel:150 mm (6 inch) plastic wheels with high quality solid tires;

Rear wheel:Rear wheel diameter 400 mm (16 inch) plastic inflatable wheel;

Brake:Steel manual stationary brake,

Seat cushion:The seat cushion material is an Oxford nylon cloth built-in sponge

Chromed Steel Frame, Reclining High Back, Flip-up Desk Armrest, Elevating Footrest, Solid Castor, Pneumatic Mag Rear Wheel, Detachable Push Bar.

name	parameter
Total length	111cm
Total width	55cm
Total high	107cm
Packing size (L*W*H)	83*33*109
Fold width	32cm
Backrest height	58.5cm
Seat depth	40cm
Seat width	41cm
Seat height off the ground	49cm
Front wheel diameter	15cm
Rear wheel diameter	40cm
Maximum load	100kg
Net weight	20.2kg



Aluminum Wheelchairs

Model: LA1012

1.High-strength aluminum alloy pipe, diameter 22mm, thickness 2mm, good safety performance; Foldable structure; The surface of the frame is oxidized or painted;

2.Plastic wheels with a front wheel diameter of 150 mm with high-quality PU solid tires; with high-strength aluminum alloy front forks.

3.Rear wheel diameter 560mm, inflatable wheel configuration of 36 spokes, using #13 spokes; Equipped with high-strength aluminum alloy hand wheels (for driving wheelchairs).

4.Equipped with aluminum alloy manual stop, the brake device is equipped with a protective cover box, and the parking device is not higher than the seat surface after braking; Rear handle with brake, with stationary self-locking function;

5.The seat cushion is a soft seat cushion, the material is high strength, good breathability, the middle layer is more than 400d canvas, the seat surface is flat, no wrinkles, jumpers and damage and other defects;

- Aluminum chair frame
- Detachable footrest
- Drop back handle
- Pu rear wheel
- Flip up amrest
- With united brake

name	parameter
Total length	100cm
Total width	63cm
Total high	89cm
Packing size (L*W*H/pcs).	80*28*90cm/1
Fold width	27cm
Backrest height	37cm
Seat depth	40cm
Seat width	46cm
Seat height off the ground	51cm
Front wheel diameter	15cm
Rear wheel diameter	58cm
Maximum load	100kg
Net weight	13kg



Silver Spring Steel Deluxe Folding Wheelchair

Model: LA1013

1.Strong steel pipe, frame surface chromed, Main frame:Ø22mm · thickness1.2mm · with good safety performance,

2.Wheels with high-quality tires ensure shock absorption and durability.

3.Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.

4.Enjoy a cozier experience as you roll around in this wheelchair

- Chromed steel frame
- Quick release pneumatic rear wheel
- Flip-up desk armrest
- Drop back handle
- Detachable footrest
- Solid castor

NAME	PARAMETER
TOTAL LENGTH	108cm
TOTAL WIDTH	64cm
TOTAL HEIGHT	94cm
Packing dimension (L*W*H/pcs)	80*28*78cm/1
FOLDABLE WIDTH	27cm
BACKREST HEIGHT	45cm
SEAT DEPTH	40cm
SEAT WIDTH	46cm
Seat height(counting from the floor)	51cm
Dia.of front wheel	15cm
Dia.of rear wheel	58cm(36 spoke wheels)
max.load	100kg

Recline Standard Wheelchair

Model: LA1014



1.Frame: steel pipe diameter of 22mm, wall thickness of 1.2 mm, foldable structure, good safety performance; The surface of the frame is spray plasticized;

2.The seat reclines back 165°

3.Front wheel:200 mm (8 inch) plastic wheels,rear wheel diameter 620 mm (24 inch), with handrim

4.Steel manual stationary brake

5.The seat cushion is a soft seat cushion, the material is high strength

6.The backrest can be tilted back at an angle of 160° to 170°, the angle adjustment position is fixed and reliable, and the curved soft headrest is configured;

7.Movable disassembly handrail, easy to disassemble;

8.Stainless steel skid plate;

9.Footrest, height adjustable, raised angle can reach 180° with the seat surface, and has a gravity self-locking device, leg pads are soft materials;

Powder Coating Steel Frame, Reclining High Back, Detachable Armrest Elevating Footrest, Solid Castor, Solid Rear Wheel.
Optional Accessories: Neck Cushion

name	parameter
Total length	125cm
Total width	66cm
Total high	120cm
Packing size (L*W*H)	98*35*89
Fold width	34cm
Backrest height	45cm
Seat depth	40cm
Seat width	46cm
Seat height off the ground	51.5cm
Front wheel diameter	20cm
Rear wheel diameter	62cm
Maximum load	100kg
Net weight	23.13kg

Hand Operated Wheelchair

Model: LA1015



1. Steel frame chrome plating on the surface, beautiful and durable.

2. 24-inch air wheel, with handwheel (used when the hand is directly driving the wheelchair).

3. 8-inch (200mm) PVC +PP integrated solid wheel, configured with high-strength engineering plastic wheels, non-inflatable solid tires

4. Brake: with steel stationary brake, safe and reliable.

5. Seat cushion: seat cushion material is human leather, the middle needs to use canvas interlayer,

6. Handrails: detachable handrails, with high-quality leather handrail pads and metal protective panels.

7. Foot rest: metal foot pedal, height adjustable.

8. Handwheel: Steel pipe material (for direct drive rear wheel)

Chromed Steel Frame, 20" Seat Width, Detachable Armrest, Detachable Footrest, Solid Castor, Pneumatic Rear Wheel.

Name	Parameters
Total length	1050mm
Total width	730mm
Total high	910mm
Fold width	270 mm
Seat width	510mm
Seat depth	450mm
Seat height off the ground	500mm
Armrest height	260mm
Distance between handrails	505mm
Foot pedal height off the ground	130 mm
Backrest height	400mm
Front wheel diameter	200mm
Rear wheel diameter	620mm
Maximum load	100kg
Net weight	18.4kg



Folding Steel Wheel chair

Model: LA1016

1. Frame: steel pipe, good safety performance, chrome plating on the surface.
2. The down-bending design at the front of the seat effectively reduces the compression and improves the comfort of the ride!
3. Front wheel: 7 inch PU integrated wheel with metal fork;
4. Rear wheel: 24 inch wheels with pneumatic tires with high strength metal handrim
5. Brake: Metal manual stop with safety cover;
6. Seat cushion: Oxford nylon cloth cover
7. Armrest: The use of fixed armrests with PVC armrest pads, comfortable and durable;
8. Foot pedals: Aluminum alloy foot pedals with adjustable height.

- Chromed steel frame
- Fixed footrest
- Double cross bar
- Solid castor
- Fixed armrest
- Solid rear wheel

name	parameter
Total length	105cm
Total width	62cm
Total high	88cm
Packing size (L*W*H/pcs).	93*29*90
Fold width	28cm
Backrest height	41cm
Seat depth	40cm
Seat width	41cm
Seat height off the ground	49cm
Front wheel diameter	17.5cm
Rear wheel diameter	60cm
Maximum load	100kg
Net weight	16.3kg



Regular Wheelchair

Model: LA1017

1. Frame: steel chrome-plated, has good safety performance, and the surface is which is beautiful and durable.
2. Rear wheel: 24-inch non-pneumatic wheel, configured as 28-wire steel ring, with high-strength chrome-plated metal handrim (used when the hand directly drives the wheelchair).
3. Front wheels: 8-inch diameter high-quality solid rubber tires, equipped with one-piece stamped metal crank arms;
4. Brake: With steel parking brake, it is safe and reliable.
5. Seat Cushion: The seat and backrest are soft seats and soft backrests, the material is PVC artificial leather or Oxford cloth,
6. Armrest: fixed armrest, height ≤ 24 cm, suitable for ergonomic design; high-quality PVC armrest pad, with stainless steel guard plate.
7. Footrest: high-strength aluminum alloy footrest, removable and adjustable in height.

Chromed Steel Frame, Double Cross Bar, Fixed Armrest, Fixed Footrest, solid Castor, Solid Rear Wheel.

Name	Parameters
Total length	1030mm
Total width	660 mm
Total high	905 mm
Fold width	245mm
Seat width	460mm
Seat depth	400mm
Seat height off the ground	460 mm
Armrest height	210mm
Foot pedal height off the ground	adjustable
Backrest height	403mm
Front wheel diameter	200mm
Rear wheel diameter	580mm
Maximum load	100kg
Net weight	17.5kg



Basketball Lightweight Wheelchair

Model: LA1018

- 1.Superior comfort.
- 2.Aluminum frame with good safety performance,
- 3.Wheels with high-quality tires ensure shock absorption and durability.
- 4.Enjoy a cozier experience as you roll around in this wheelchair.

**BASKETBALL WHEELCHAIR (FORWARD)
ALUMINUM FRAME
QUICK-RELEASED REAR WHEEL
WITH ANTI TIPPER**



Outdoor wheelchair

Model: LA1019

- 1.Superior comfort.
- 2.Aluminum frame with good safety performance,
- 3.Wheels with high-quality tires ensure shock absorption and durability.
- 4.Enjoy a cozier experience as you roll around in this wheelchair.

**WHEELCHAIR FOR DANCING
ALUMINUM CHAIR FRAME
24" PNEUMATIC REAR WHEEL
WITH ANTI TIPPER**



Lightweight Aluminum Wheelchairs

Model: LA1020

- 1.Superior comfort. Fixed armrest and flip-up footrest
- 2.Aluminum frame with good safety performance,
- 3.Wheels with high-quality tires ensure shock absorption and durability.
- 4.Enjoy a cozier experience as you roll around in this wheelchair.

Aluminum Chair Frame, Fixed Armrest, Flip-up Footrest Drop Back Handle, Looking United Brake, Solid Castor, Pu Rear Wheel.

name	parameter
Total length	96cm
Total width	64cm
Total high	91cm
Packing size (L*W*H/pcs).	80*30*74
Fold width	cm
Backrest height	41cm
Seat depth	cm
Seat width	46cm
Seat height off the ground	49cm
Front wheel diameter	15cm
Rear wheel diameter	51cm
Maximum load	100kg
Net weight	11.7kg



Manual Tilt Wheelchair

Model: LA1021

Frame: Steel spray , beautiful and durable

Front wheel: Front wheel diameter 200 mm plastic wheel hub with TPR tires;

Rear wheel: Rear wheel diameter 300 mm Plastic inflatable rear wheel.
Brake: steel manual stop brake, rear handle with brake;

Seat cushion: High back seat using artificial leather cover, containing high elastic sponge, the backrest angle is adjustable, can be adjusted back to 160° ~ 170° with the cushion surface, easy and reliable adjustment, comfortable to use.

Armrest: The use of movable disassembly type armrests, easy to disassemble;

Skid plate: Hardboard skid plate, artificial leather cover, containing high elastic sponge;

Foot rests: The movable disassembly type foot rest is adopted, and the angle between the leg direction and the cushion surface can be adjusted, and the angle adjustment position is locked reliably. The foot pedal height is adjustable. Handle: The height of the handle is adjustable.

Powder Coating Steel Frame, Reclining High Back, Adjustable And Detachable Headrest, Tilting Seat, Height Adjustable Armrest, Elevating Footrest, TPR Castor, Pneumatic Mag Rear Wheel, United Brake.
Optional Accessories: Neck Cushion.

name	parameter
Total length	101cm
Total width	53cm
Total high	118~130cm
Packing size (L*W*H/pcs).	82*61*64
Backrest height	54cm
Seat depth	42cm
Seat width	46cm
Seat height off the ground	53cm
Front wheel diameter	20cm
Rear wheel diameter	30cm
Maximum load	150kg
Net weight	35.5kg



Adult Manual Wheelchair

Model: LA1022

Frame: Superior comfort. spray steel frame

Front wheel: Front wheel diameter 200 mm plastic wheel hub with TPR tires;

Rear wheel: Rear wheel diameter 620 mm Plastic inflatable rear wheel with handrim

Seat cushion: High back seat: high backrest, using artificial leather cover, containing high elastic sponge, the backrest angle is adjustable, can be adjusted back to 160° -170° with the cushion surface, easy and reliable adjustment

Armrest: movable disassembly type armrests, easy to disassemble;

Skid plate: Hardboard skid plate, artificial leather cover, containing high elastic sponge;

Foot rests: The movable foot rest, and the angle between the leg direction and the cushion surface can be adjusted, and the angle adjustment position is locked reliably. The foot pedal height is adjustable.
Handle: The height of the handle is adjustable.

Powder Coating Steel Frame, Reclining High Back, Adjustable And Detachable Headrest, Tilting Seat, Height Adjustable Armrest, Elevating Footrest, TPR Castor, United Brake Pneumatic Mag Rear Wheel.
Optional Accessories: Neck Cushion.

name	parameter
Total length	117cm
Total width	65.5cm
Total high	122~134cm
Packing size (L*W*H/pcs).	88*67*84
Backrest height	54cm
Seat depth	42cm
Seat width	46cm
Seat height off the ground	58cm
Front wheel diameter	20cm
Rear wheel diameter	62cm
Maximum load	150kg
Net weight	37.7kg



Heavy Duty Manual Wheelchairs

Model: LA1023

1. Powder coating steel frame for heavy duty people
 2. Front wheel diameter 200 mm (8 inches) plastic wheels with high quality solid tires
 3. Rear wheel diameter 620 mm (24 inches) plastic pneumatic wheel rear wheel, with hand wheel (used when the hand directly drives the hand wheel);
 4. The fabric is covered with oxford nylon cloth
 5. Handrails is convenient for getting on and off the wheelchair;
 6. Removable footrest, footrest adjustable in height.
- Powder coating steel frame
 - Detachable push bar
 - Detachable desk armrest
 - Solid castor
 - Detachable footrest
 - Pneumatic rear wheel
 - 24" seat width
 - Drop back handle

name	parameter
Total length	111cm
Total width	81cm
Total high	92cm
Packing size (L*W*H/pcs).	86*33*83
Backrest height	41cm
Seat depth	cm
Seat width	61cm
Seat height off the ground	52cm
Front wheel diameter	20cm
Rear wheel diameter	62cm
Maximum load	125kg
Net weight	22kg



20 Inch Manual Wheelchair

Model: LA1024

1. Powder coating steel frame for heavy duty people
2. Front wheel diameter 200 mm (8 inches) plastic wheels with high quality solid tires
3. Rear wheel diameter 310 mm plastic pneumatic wheel rear wheel, with hand wheel (used when the hand directly drives the hand wheel);
4. The fabric is covered with oxford nylon cloth
5. Handrails is convenient for getting on and off the wheelchair;
6. Removable footrest, footrest adjustable in height.

Powder Coating Steel Frame, Detachable Desk Armrest, Drop Back Handle, Detachable Footrest, 24" Seat Width, Detachable Push Bar, Solid Castor, Pneumatic Mag Rear Wheel.

name	parameter
Total length	105cm
Total width	77.5cm
Total height	91.5cm
Fold the width	30cm
Seat width	61cm
Seat depth	45cm
Seats are above the ground	52cm
Armrest height	23cm
Distance between handrails	61cm
The foot pedal is off-ground	adjustable
Back height	40cm
The diameter of the front wheel	20cm
The diameter of the rear wheel	31cm
Maximum load	125kg
Net weight	17.8kg



Drive Manual Wheelchair

Model: LA1025

- 1.Strong steel pipe, frame surface powder coating black color, with good safety performance,
- 2.Wheels with high-quality tires ensure shock absorption and durability.
- 3.Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
- 4.Enjoy a cozier experience as you roll around in this wheelchair

Powder Coating Steel Frame, Detachable Armrest, Detachable & Length-adjustable Footrest, Solid Mag Rear Wheel, Solid Castor.

name	parameter
Total length	107cm
Total width	67cm
Total height	91.5cm
Fold the width	cm
Seat width	46cm
Seat depth	cm
Seats are above the ground	49cm
Back height	40cm
The diameter of the front wheel	20cm
The diameter of the rear wheel	62cm
Maximum load	100kg
Net weight	19.4kg



Modern Lightweight Aluminum Wheelchairs

Model: LA1026

1. Superior comfort.
2. Aluminum frame with good safety performance, fixed armrest and footrest
3. Wheels with high-quality tires ensure shock absorption and durability.
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Enjoy a cozier experience as you roll around in this wheelchair.

Fixed Footrest, Solid Castor, Pneumatic Rear Wheel,
With United Brake.

name	parameter
Total length	103cm
Total width	65cm
Total high	87cm
Packing size (L*W*H/pcs).	103*25*90
Backrest height	37cm
Seat depth	cm
Seat width	46cm
Seat height off the ground	51cm
Front wheel diameter	20cm
Rear wheel diameter	62cm
Maximum load	100kg
Net weight	12.1kg



Drive Aluminum Transport Wheelchair

Model: LA1027

Frame: Aluminum alloy welding combination, the use of flip handrail structure, good safety performance

Front wheel: 3" (76mm) solid rubber front wheels with high-strength polymer wheels, non-inflatable solid tires Rear wheel: 5" (125mm) PU solid rear wheel

Brake: Aluminum alloy foot pedal brake, safe and reliable Seat cushion: One-piece removable seat cushion made of glued nylon with a built-in sponge

Armrest: Flip-up armrest

TRANSIT CHAIR, SPECIALLY DESIGNED TO TRANSPORT PEOPLE ON THE AIRPLANE, STRONG AND DURABLE ALUMINUM FRAME, EASY TO FOLD, 5" REAR WHEELS WITH PEDAL LOCK, FLIP UP ARMREST.

name	parameter
Total length	735mm
Total width	380mm
Total high	865mm
Packing size (L*W*H/pcs).	400*260*580mm/1PCS
Fold width	580mm
Backrest height	340mm
Seat depth	340mm
Seat width	350mm
Seat height off the ground	490mm
Armrest height	210mm
Distance between handrails	340mm
Foot pedal height off the ground	150mm
Front wheel diameter	76mm
Rear wheel diameter	125mm
Maximum load	100kg 6kg
Net weight	6kg



Aluminum Fashion Wheelchair

Model: LA1028

1. Superior comfort. With height adjusted armrest, armrest is flip-back
2. Aluminum frame with spray color, good safety performance,
3. Wheels with high-quality PU tires ensure shock absorption and durability. \ Quick release rear wheel makes easy to move and transport
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Enjoy a cozier experience as you roll around in this wheelchair.

name	parameter
Total length	100cm
Total width	66 cm
Total high	90cm
Packing size (L*W*H).	82*28*92
Fold width	27cm
Backrest height	37cm
Seat depth	40cm
Seat width	46cm
Seat height off the ground	52cm
Seat to armrest height	23~26cm
Front wheel diameter	20cm
Rear wheel diameter	62cm
Maximum load	100kg
Net weight	16kg



Adult Leisure Wheelchair

Model: LA1029

1. Superior comfort.
2. Aluminum frame with good safety performance,
3. Wheels with high-quality tires ensure shock absorption and durability.
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Enjoy a cozier experience as you roll around in this wheelchair.

Superior comfort.
 Aluminum frame with good safety performance
 Wheels with high-quality tires ensure shock absorption and durability.
 Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
 Enjoy a cozier experience as you roll around in this wheelchair.

Name	Parameters
Total length	85cm
Total width	58cm
Total high	80cm
Fold width	35cm
Seat width	36cm
Seat depth	36cm
Seat height off the ground	48cm
Foot pedal height off the ground	5-10cm
Backrest height	27cm
Front wheel diameter	10cm
Rear wheel diameter	60cm
Static weight	10Kg(Without accessories)



White Lightweight Wheelchair

Model: LA1030

Frame: Aluminum alloy , the frame adopts one-piece molding design, less welding, and the overall structure is clear; Aluminum tube uses large-section elliptical flat tube, with better safety performance and more stylish appearance; The surface is oxidized with silver mist, which is beautiful and durable. Front wheel:7 inch plastic wheels with high quality solid rubber tires; Rear wheel:22-inch steel wire wheel with PU tire plastic armrest, using rear wheel front overall safer and lighter; Brake:Equipped with cast iron brakes, rear handles with brakes, safe and reliable; Seat cushion:The fabric is made of high-quality high-strength checkered cloth, and the pad core is made of high-quality high-resilience sponge; The seat cushion adopts adjustable shrinkage design to avoid insufficient tension of the seat cushion caused by long-term use, and the Velcro bond is easy to use; Skid plate:Plastic skid plate;

- Alumiumn chair frame
- Solid castor
- Fixed armrest
- Pu rear wheel
- Fixed footrest
- United brake

name	parameter
Total length	89cm
Total width	62cm
Total high	89cm
Packing size (L*W*H/pcs).	90*27*91CM/1
Fold width	26cm
Backrest height	38cm
Seat depth	40cm
Seat width	46cm
Seat height off the ground	49cm
Front wheel diameter	18cm
Rear wheel diameter	56cm
Maximum load	100kg
Net weight	11.8kg

Drive Medical Expedition Transport Chair

Model: LA1031



1. High-strength steel tube diameter 22mm, thickness 1.2mm, good safety performance;

2. Foldable structure; additional fold-back function for convenient storage and transportation.

3. Front wheel diameter 6 inches, with high-quality rubber solid tires ensure shock absorption and durability.

4. The rear wheel diameter 20 inches non-inflatable high-quality PU tires, equipped with high-strength plastic handwheels, can be directly driven for the rear wheels.

5. Made of metal, the rear handlebar is connected to the brake, with a stop-and-stop self-locking function.

6. The seat cushion is a soft seat cushion, the material is high strength

- Powder coating frame
- Pneumatic rear wheel
- Fixed armrest
- Drop back handle
- Flip-up footrest
- United brake
- Solid castor

name	parameter
Total length	98cm
Total width	60cm
Total high	90cm
Packing size (L*W*H/pcs).	71*28*71.5
Fold width	28cm
Backrest height	44cm
Seat depth	36cm
Seat width	46cm
Seat height off the ground	48cm
Front wheel diameter	15cm
Rear wheel diameter	50cm
Maximum load	100kg



Folding Steel Wheelchair

Model: LA1032

- 1.Superior comfort.
- 2.Strong steel pipe, frame surface chrome treatment /powder coating/powder painting , with good safety performance,
- 3.Wheels with high-quality tires ensure shock absorption and durability.
- 4.Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
- 5.Enjoy a cozier experience as you roll around in this wheelchair.

Powder Coating Steel Frame, Double Cross Bar, Fixed Inclined Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.

name	parameter
Total length	100cm
Total width	62cm
Total high	87cm
Packing size (L*W*H/pcs).	103*25*89
Fold width	cm
Backrest height	40cm
Seat depth	cm
Seat width	46cm
Seat height off the ground	51cm
Front wheel diameter	20cm
Rear wheel diameter	58cm
Maximum load	100kg



Wheelchair Steel Heavy Duty

Model: LA1033

1. Powder coating steel frame, seat width 56/61 cm super-wide
 2. Front wheel diameter 200 mm (8 inches) plastic wheels with high quality solid tires
 3. Rear wheel diameter 620 mm (24 inches) plastic pneumatic wheel rear wheel, with hand wheel (used when the hand directly drives the hand wheel);
 4. The fabric is covered with oxford nylon cloth, with a canvas interlayer of more than 300d in the middle, the seam is firm and neat, and there are no defects such as wrinkles, jumpers and damage;
 5. The use of movable upturned handrails is convenient for getting on and off the wheelchair;
 6. Removable footrest, footrest adjustable in height.
- Powder coating steel frame
 - Detachable footrest
 - 22" seat width
 - Rubber foam castor
 - Flip-up armrest
 - Pneumatic mag rear wheel

name	parameter
Total length	100cm
Total width	73cm
Total high	93cm
Packing size (L*W*H/pcs).	83*33*93
Fold width	cm
Backrest height	41cm
Seat depth	cm
Seat width	56cm
Seat height off the ground	54cm
Front wheel diameter	20cm
Rear wheel diameter	62cm
Maximum load	125kg



Adjustable Manual Wheelchair

Model: LA1034

1. Superior comfort.
2. Aluminum frame with good safety performance,
3. Wheels with high-quality tires ensure shock absorption and durability. \
4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.
5. Enjoy a cozier experience as you roll around in this wheelchair.

- Aluminum chair frame
- Solid castor
- Flip-up desk armrest
- Quick release pneumatic rear wheel
- Detachable footrest
- Angle-adjustable footplate

name	parameter
Total length	100cm
Total width	66cm
Total high	90cm
Packing size (L*W*H/pcs).	80*28*91
Fold width	cm
Backrest height	38cm
Seat depth	cm
Seat width	46cm
Seat height off the ground	52cm
Front wheel diameter	15cm
Rear wheel diameter	62cm
Maximum load	100kg



Reclining Manual Wheelchair

Model: LA1035

1. Foldable structure, good safety performance, and the surface is with color spraying

2. Seat Cushion: artificial leather cover, which contains a combined sewing structure of canvas inner cover of more than 300d, and has high tensile strength.

3. The movable flip-type link armrest is adopted, which is convenient for installation.

4. The high backrest can be adjusted backward to 160°~170° with the seat cushion surface, and the adjustment position of each angle is locked and reliable.

5. The movable and detachable leg rest is adopted, the angle between the artificial leather leg rest surface and the seat cushion surface can be adjusted, and the position lock can be adjusted at each angle.

6. 8-inch (200mm) solid rubber wheel, 24-inch (590mm) rubber solid wheel, configured as 36-wire steel ring, with hand wheel (hand direct drive wheelchair).

Powder Coating Steel Frame, Reclining High Back, Flip Up Armrest, Elevating Footrest, Solid Castor, Solid Rear Wheel.
Optional Accessories: Neck Cushion

name	parameter
Total length	123cm
Total width	65cm
Total high	119cm
Packing size (L*W*H/pcs).	95*34*92
Fold width	cm
Backrest height	45cm
Seat depth	cm
Seat width	46cm
Seat height off the ground	50cm
Front wheel diameter	20cm
Rear wheel diameter	58cm
Maximum load	100kg



Drive Fly Lite Sport Wheelchair

Model: LA1036

Frame:High-strength anodizing aluminum frame Front wheel:4 inch polyurethane tires Rear wheel:24-inch quick-release wheels, configured with 18-wire high-strength aluminum rings, pneumatic tires, high-strength quick-release rear axles, with lightweight high-strength aluminum handwheels (used when driving wheelchairs directly by hand). Brake:aluminum alloy manual stop brake; Seat cushion:It is formed with 420D Oxford cloth sewing, high tensile strength, and the sponge cushion can be configured with a suitable thickness (standard 5cm) according to the different requirements of different figures for wheelchair seat height. Handrail:Fix the handguard Skid plate:Oxidized black skid plate Foot rests:Adjustable oxidized black leg holder

FOLDABLE ALUMINUM FRAME
SEAT HEIGHT ADJUSTABLE
24" PNEUMATIC REAR WHEEL
EXTRA BODY SUPPORT BACKREST

name	parameter
Total length	85cm
Total width	52cm
Total high	80cm
Packing size (L*W*H/pcs).	86*32*81cm
Fold width	35cm
Backrest height	27cm
Seat depth	36cm
Seat width	36cm
Seat height off the ground	48cm
Front wheel diameter	10cm
Rear wheel diameter	60cm
Maximum load	medical history
Net weight	10.7kg



Manual Standard Wheelchair

Model: LA1037

1.Superior comfort. Features lightweight foot plates and padded armrests with embossed vinyl upholstered seat and seat back. Enjoy a cozier experience as you roll around in this wheelchair.

2.Easy to use push-to-lock brakes securely keep your wheelchair in place – one less thing to worry about.

3.An excellent wheelchair to have around the house and when you are out and about.

1.FRAME: made by chromed steel frame, fixed armrest and footrest.

2.Seat upholstery: blue PVC, very strong

3.Armrest: PVC armrest pad, fixed armrest, metal armrest panel

4.Castor: 8" (200mm) solid castor.

5.Rear wheel: 24" (580mm) solid rear wheel. Steel hand rim

6.Footrest: fixed, aluminum footplate

NAME	PARAMETER
TOTAL LENGTH	1060mm
TOTAL WIDTH	640mm
TOTAL HEIGHT	865mm
FOLDABLE WIDTH	230mm
SEAT WIDTH	460mm
SEAT DEEP	400mm
SEAT HEIGHT	510mm
WIDTH BETWEEN BOTH ARMREST	455mm
FRONT CASTOR DIAMETER	200mm
REAR WHEEL DIAMETER	580mm
MAX LAODING	100kg
N.W	16.5kg
PACKAGE	94*23*89CM



Lightweight Transit Wheelchair

Model: LA1038

1. Superior comfort.
2. Aluminum frame with good safety performance,
3. Wheels with high-quality tires ensure shock absorption and durability. ^
4. Enjoy a cozier experience as you roll around in this wheelchair.

Frame: Aluminum oxidatio foldable structure, good safety performance

Front wheel: 5-inch (125mm) rubber solid wheels with high-strength engineering plastic wheels and non-inflatable solid tires.

Rear wheel: 6"(150mm) PU wheels configured with high-strength polymer wheels, non-inflatable solid tires.

Brake: Aluminum alloy brakes, good braking performance

Seat cushion: Oxford nylon cloth cover is adopted, which contains a combination of canvas inner sleeves of more than 300d, and the tensile strength is high.

Armrest: Flip-up armrests.

Foot rests: Flip-up foot rests.

name	parameter
Total length	93cm
Total width	47cm
Total high	89cm
Packing size (L*W*H/pcs).	75*25*66cm/1
Fold width	25cm
Backrest height	38.5cm
Seat depth	36cm
Seat width	37cm
Seat height off the ground	45cm
Front wheel diameter	12.5cm
Rear wheel diameter	15m
Maximum load	100kg
Net weight	6.7kg



Manual Steel Wheelchair

Model: LA1039

1. Steel Powder coating , beautiful and durable
2. Plastic wheels with a front wheel diameter of 200 mm (8 inch) are equipped with high-quality solid tires with a tire width of 50 mm. With integrated stamping metal crutch arm;
3. Rear wheel diameter 620 mm (24 inch) mag wheel with galvanized metal handwheel (used when the hand is directly driven) ;
4. Steel manual stop brake;
5. The fabric adopts PVC artificial leather
6. Made of steel pipe with a diameter of 22mm and a thickness of 1.2mm, the movable disassembly handrail is convenient for disassembly;

Powder Coating Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Mag Rear Wheel.

name	parameter
Total length	107cm
Total width	65cm
Total high	89cm
Packing size (L*W*H/pcs).	80*28*91cm/1
Fold width	28cm
Backrest height	41.5cm
Seat depth	40cm
Seat width	46cm
Seat height off the ground	51cm
Front wheel diameter	20cm
Rear wheel diameter	62cm
Maximum load	100kg
Net weight	18.4kg

High Back Manual Wheelchair

Model: LA1040



1.FRAME: high strength aluminum frame, powder coating surface, seat angle is adjustable from 0°-45°.

2.Seat and back upholstery: high strength net cloth cover, with high resilience sponge inside. Adjustable angle between seat and floor is 0-40°,adjustable angle between seat and back is 95-160°.Gas spring of seat is 60N*2, gas spring of back is 150N*2.

3.Limit pad: with steel frame and sponge cushion, 2pcs on both sides near the shoulders and 1pc between two legs to fix user's body on the wheelchair. All cushions can adjust their place.

4.Armrest: PU armrest pad, detachable and height adjustable.

5.Castor:8" (200mm) solid castor.

6.Rear wheel: 20" (510mm) PU Mag rear wheel, with anti tipper.

7.Footrest: detachable and elevating footrest, PU calf pad, with height adjustable plastic footplate.

8.Brake: aluminum locking manual brake

Aluminum Chair Frame, Reclining High Back, Adjustable Headrest, Detachable Armrest, Elevating Footrest, Solid Castor, PU Mag Rear Wheel, Tilting Seat, Safety Belt.

name	parameter
Total long	1120mm
Total width	535mm
Total height	1040~1200mm
Folding width	310mm
Seat width	380mm
Seat depth	360mm
Height from seat to floor	550mm
Height of armrest	170~200mm
Distance between two armrests	380mm
Height from footplate to floor	adjustable
Backrest height	420mm
Castor diameter	200mm
Rear wheel diameter	510mm (PU tire)
Max load	75kg
Net weight	22.5kg



Super Lightweight Wheelchair

Model: LA1041

1. Superior comfort. foldable structure; the surface of the frame is oxidized; the backrest function is additionally used to facilitate storage and transportation.

2. Aluminum frame with good safety performance,

3. Wheels with high-quality tires ensure shock absorption and durability.

4. Features lightweight foot plates and padded armrests with comfortable upholstered seat and seat back.

5. Enjoy a cozier experience as you roll around in this wheelchair.

Aluminum Light Weight Chair Frame, Drop Back Handle, Flip-Up Armrest, Flip-Up Footrest, Solid Castor, Pu Rear Wheel, With United Brake.

name	parameter
Total length	96cm
Total width	64cm
Total high	91cm
Packing size (L*W*H/pcs).	80*30*74cm/1
Fold width	cm
Backrest height	41cm
Seat depth	cm
Seat width	46cm
Seat height off the ground	49cm
Front wheel diameter	15cm
Rear wheel diameter	51cm
Maximum load	100kg
Net weight	12.3kg

Lightweight Manual Wheelchair

Model: LA1042



1. Frame: Made of aviation titanium aluminum alloy material, high-load-bearing double I-shaped support structure,

2. Front wheel: 6-inch plastic wheel with high-quality PVC+PP integrated wheel,

3. Rear wheel: 22-inch PU wheel with quick release function, also equipped with two 8-inch auxiliary wheels. When the big wheel is removed, the small wheel can be used for walking, which is convenient for the wheelchair to directly enter the narrow place;

4. Brake: Aluminum alloy brake, rear handle with brake, with parking self-locking function, safe and reliable;

5. Seat Cushion: Colored soft backrest, Oxford nylon cloth, and a 600d canvas interlayer is required in the middle.

6. The armrest adopts movable, which can be reversed and disassembled with PU armrest pad;

7. The movable footrest can be quickly disassembled and assembled; the high-strength plastic footrest can be adjusted in height;

8. Seat belt: with adjustable seat belt;

- Aluminum chair frame
- Solid castor
- Drop-back handle
- Quick release pneumatic rear wheel
- Flip-up armrest
- With carrying wheel
- Detachable footrest
- With united brake

name	parameter
Total length	102cm
Total width	69cm
Total high	92cm
Packing size (L*W*H/pcs).	73*37*80cm
Fold width	37cm
Backrest height	44cm
Seat depth	40cm
Seat width	46cm
Seat height off the ground	47cm
Front wheel diameter	15cm
Rear wheel diameter	56cm
Maximum load	100kg
Net weight	14.5kg



Manual Wheelchairs

Model: LA1043

1. Standard steel wheelchair
2. Fixed armrest and footrest ,easy to use
3. Foldable and easy to store
4. Superior comfort. Features lightweight foot plates and padded armrests with embossed vinyl upholstered seat and seat back.
5. An excellent wheelchair to have around the house and when you are out and about. Enjoy a cozier experience as you roll around in this wheelchair.

- 1.FRAME: made by chromed steel frame, fixed armrest and footrest.
- 2.Seat upholstery: blue PVC, very strong
- 3.Armrest: PVC armrest pad, fixed armrest, metal armrest panel
- 4.Castor: 8" (200mm) solid castor.
- 5.Rear wheel: 24" (580mm) SOLID MAG rear wheel. Steel hand rim
- 6.Footrest: fixed, aluminum footplate

Name	Parameters
Total length	1060mm
Total width	650mm
Total high	890mm
Fold width	240mm
Seat width	460mm
Seat depth	400mm
Seat height off the ground	490mm
Armrest height	280mm
Distance between handrails	455mm
Foot pedal height off the ground	adjustable
Backrest height	390mm
Front wheel diameter	200mm
Straight diameter of rear wheels	61mm
Maximum load	100kg
Net weight	17.2kg



Power Wheelchair & Scooter

Power wheelchair is an electrically powered mobility device designed for individuals with limited mobility due to physical impairments. Unlike manual wheelchairs, which require manual propulsion, power wheelchairs are equipped with electric motors that allow users to navigate independently with the use of a joystick or other control mechanisms.



Medium and large scooter

Model: LA1052

Name	Parameters
Dimensions	1600*720*1170mm
Ground clearance	83mm
Max. forward speed	15km/h (adjustable)
Max. backward speed	6-8 km/h (adjustable)
Turing radius	1.73 m
Climbing capability	12 degree
Motor	24V 1400W (Taiwan MTM)
Battery	12V 75Ah*2 lead acid
Controller	PG S-Drive 200A
Charger	24V 8A battery charger
Front tires	13 inch, 100/60-8
Rear tires	13 inch, 115/55-8
Weight Capacity	180kgs
Weight	N.W 152kgs/ G.W 192 kgs
Range	43km
Battery Weight	23kgs *2
Colour	Blue/ green/ red/ black
Packing size body	1655*755*880mm
Packing size seat	650*600*420mm
Container loading	20'FCL/21pcs 40'HQ/54pcs



Lightweight scooter

Model: LA1051

Name	Parameters
Overall dimensions (length * width * height)	1000*500*915mm
Forward speed	0-7km/h (adjustable)
Front wheel size	Φ175*50
Rear wheel size	Φ 185*55
Battery	24V 10AH /15.6AH(lithium)
Capacity	120 kg
Net weight	19kg (with battery) 17kg (without battery)
Motor:	24V 180W brushless
Height from the ground (mm)	75
Controller	brushless 24V45A
Charger	24V 2A
Maximum climbing	12°
Brake	electromagnetic brake
Range	12km/19km



Aluminum Frame Heavy-duty Power Wheelchair

Model: LA1050

1.) Excellent Stability:

High performance rearwheel drive with continuous acceleration.

500W x2 powerful motors bring speed without compromising on stability or control.

2.) Electrically adjustable seat inclination system (tilting) and backrest system (reclining)

3.) Splendid LED Lighting:
LED lighting control system enhances driving safety at night.

4.) Large battery capacity up to 2pcs 75AH for longer driving range

Name	Parameters
Total length	114cm
Total width	68cm
Total high	129cm
Seat width	44cm
Seat depth	45cm
Seat height	56cm
Front tire	10"3.00-4
Rear tires	15"
Max. climbing angle	12 degree
Max. forward speed	12 km/h (adjustable)
Range	45 km ± 5 km
Weight capacity	180 kg
Charger	24V 8A
Battery	75AH*2
Charge time	8-10H
Suspension	Front: Yes Rear: Yes
Controller	24V 75A
Motor	24V DC500W x 2
Net Weight (with batteries)	129kg
Net Weight (without batteries)	81kg
Package Size	88*73.5*77cm



Compact Electric Wheelchair

Model: LA1049

Powder Coating Steel Frame, Drop Back Handle, Flip-up Pu Armrest, Detachable Footrest, Rubber Foam Castor And Drive Rear Wheel, Foldable Chair Frame.

Name	Parameters
Total length	109cm
Total width	62cm
Total height	92cm
The total width after folding	34cm
Seat width	45cm
Seat depth	41cm
Seats are off the ground	48cm
Handrail height	68cm
The distance between the armrests	45mm
The foot pedal is off the ground height	10cm
Back height	45cm
Front wheel diameter	20cm
Rear wheel diameter	31cm
Maximum load	110kg
Net weight	50kg



Bariatric Power Wheelchair

Model: LA1048

1. Electric standing structure: can be used by the user to stand freely, 4 position modes :SEATING / ELEVATING / RECLINING/STANDING STRONG BODY/WAIST/KNEE SUPPORT

2. STRONG FRAME & DURABLE: Solid Metal Frame gives you the best durability to last long years.

3. EASY TO CONTROL: The Mobility Chair comes fully assembled with a Universal easy to use joystick controller.

4. MANUAL & AUTO MODE: The Power Wheelchair can be switched to MANUAL mode to allow attendance push.

5. Wheels with high-quality tires ensure shock absorption and durability.

6. Enjoy a cozier experience as you roll around in this wheelchair.

Name	Parameters
Total length	132cm
Total width	65cm
Total high	133cm
Seat width	43cm
Seat depth	46cm
Seat height off the ground	56cm
Armrest height	27cm
Distance between handrails	37cm
Foot pedal height off the ground	17cm
Backrest height	54cm
Front wheel diameter	22.5cm
Rear wheel diameter	35cm
tread	43cm
Maximum load	110kg
Climbing degree	12°
Battery capacity	55AH
Mileage	22kms
Motor power	320Wx2
Speed	1~6kms/hr (GB).
controller	New Zealand Controller (Import).
Net weight	143kg



Foldable Motorized Wheelchair

Model: LA1047

1. Superior comfort.
2. **STRONG FRAME & DURABLE:** Solid Metal Frame gives you the best durability to last long years.
3. **EASY TO CONTROL:** The Mobility Chair comes fully assembled with a Universal easy to use joystick controller.
4. **MANUAL & AUTO MODE:** The Power Wheelchair can be switched to MANUAL mode to allow attendance push.
5. Wheels with high-quality tires ensure shock absorption and durability.
6. Enjoy a cozier experience as you roll around in this wheelchair.

NAME	PARAMETER
TOTAL LENGTH	100cm
TOTAL WIDTH	63cm
TOTAL HEIGHT	93cm
SEAT WIDTH	46CM
SEAT DEEP	44cm
SEAT HEIGHT	48cm
ARMREST HEIGHT	21cm
BACKREST HEIGHT	43cm
FRONT CASTOR DIAMETER	20cm
REAR WHEEL DIAMETER	31cm
MAX LOADING	100kg
GRADIENT	≤12°
BATTERY CAPACITY	15Ahx1=15Ah Lithium battery
DISTANCE PER CHARGE	17KM
POWER OF MOTOR	200Wx2
SPEED PER HOUR	1~6km/hr
CONTROLLER	NUOLE
N.W	24.8kg
PACKAGE	78*42*73cm/1ctn



Motorized Standing Scooter

Model: LA1046

1. Power stand-up wheelchair ,Special design with comfortable safety legrest belt, Superior comfort.
2. STRONG FRAME & DURABLE: Solid Metal Frame gives you the best durability to last long years.
3. EASY TO CONTROL: The Mobility Chair comes fully assembled with a Universal easy to use joystick controller.
4. MANUAL & AUTO MODE: The Power Wheelchair can be switched to MANUAL mode to allow attendance push.
5. Wheels with high-quality tires ensure shock absorption and durability.
6. Enjoy a cozier experience as you roll around in this wheelchair.

name	parameter
Total length	94cm
Total width	59cm
Total high	95-140cm
Packing size (L*W*H/pcs).	103x69x68CM
Backrest height	45cm
Seat depth	46cm
Seat width	46cm
Seat height off the ground	52cm
Front wheel diameter	20cm
Rear wheel diameter	30cm
Maximum load	110kg
Net weight	67kg
Climbing ability	12°
Speed	1~6km/hr (GB).



Electric Wheelchair For Outdoors

Model: LA1045

1. PG VIS controller as a driving control device for electric wheelchair,

2. Low noise (less than 60 decibels) output torque is large, which can meet the long-term climbing; 200W*2, with hand/electric switching function, convenient power failure implementation, high reliability;

3. The armrest of the wheelchair can be lifted backwards, which is convenient for the wheelchair to lean against the workbench or dining table;

4. The foot pedal of the wheelchair can be rotated 90 degrees or removed;

5. 5 gears of transmission, maximum speed of 6KM/H

6. Simple structure, strong power, electromagnetic brake (automatic braking for parking, parking can be parked at half-slope).

7. Suitable for people with leg disabilities and the elderly with limited mobility.

- Powder coating steel frame
- Rubber foam rear wheel
- Detachable armrest
- Drop back handle
- Detachable footrest
- Foldable frame
- Rubber foam castor
- Anti tippers

Name	Parameters
Total length	109cm
Total width	70cm
Total high	96cm
Fold width	84*42*76
Seat width	45cm
Seat depth	41cm
Seat height off the ground	51cm
Armrest height	18.5cm
Distance between handrails	45cm
Foot pedal height off the ground	adjustable
Backrest height	43cm
Front wheel diameter	20cm
Rear wheel diameter	54cm
Maximum load	120kg
Net weight	60kg



Electric Wheelchair

Model: LA1044

- 1.Superior comfort,the cushion is covered with nylon cloth.
- 2.STRONG FRAME & DURABLE: Solid Metal Frame gives you the best durability to last long years.
- 3.EASY TO CONTROL: The Mobility Chair comes fully assembled with a Universal easy to use joystick controller.
- 4.MANUAL & AUTO MODE: The Power Wheelchair can be switched to MANUAL mode to allow attendance push.
- 5.Wheels with high-quality tires ensure shock absorption and durability.
- 6.Enjoy a cozier experience as you roll around in this wheelchair.

Name	Parameters
Total length	109cm
Total width	63cm
Total high	97cm
Seat width	46cm
Seat depth	46cm
Seat height off the ground	52cm
Armrest height	23-29cm
Distance between handrails	41-44cm
Foot pedal height off the ground	13-22cm
Backrest height	42cm
Front wheel diameter	20cm
Rear wheel diameter	32cm
tread	49.5cm
Maximum load	110kg
Climbing degree	12°
Battery capacity	28AHx2
Mileage	20km
Motor power	200Wx2
Speed	1~6km/hr (GB).
controller	PG controller
Net weight	64.2kg
Packing size	73*62*75



Walking stick

Walking stick, also known as a cane, is a mobility aid used by individuals to provide support and stability while walking. It typically consists of a long, sturdy shaft with a handle at one end, allowing the user to lean on it for balance or support. Walking sticks can help reduce the risk of falls, alleviate pressure on the legs, and assist those with mobility challenges. They can come in different styles, including collapsible designs for easy storage.



Walking Stick with Turnable Rubber tip

Model: LA2001

Main frame:The upper branch adopts aluminum alloy tube, the surface oxidation treatment, the tube material specification: diameter 22 mm, wall thickness 1.2 mm;

Legs:The lower branch adopts aluminum alloy tube, the surface oxidation treatment, the tube material specification: diameter 19 mm, wall thickness 1.2 mm;

Handlebars:With light handle, alarm function, ergonomic design, effective buffer hand pressure, elastic, antibacterial effect, beautiful and durable

Foot pads:Single foot landing structure, with rubber anti-slip foot pad, good landing performance, good stability, safe and reliable.

Performance:Height 10 gear adjustment, suitable for the elderly to use, the inward stability of the product is not less than 1.5 degrees, outward stability is not less than 4.0 degrees.

ALUMINUM WALKING STICK
HEIGHT ADJUSTABLE
ULTRA-STABLE RUBBER TIP

name	parameter
Total length	127mm
Total width	38mm
Total high	710-940mm
Packing size (L*W*H/pcs).	65*15*27cm/20PC
Maximum load	100kg
Net weight	0.35kg



Long Walking Stick

Model: LA2002

Our product LA2002 is ISO11334-1 "single-arm operation of the walker requirements and test methods Part 1: elbow crutch" national standard as a reference standard for design and production, to Q/DF4-2015 "walking aids" this enterprise standard as the design and production of the implementation standard, Its structural features are as follows:

1. Main frame: the upper branch adopts aluminum alloy tube, the surface oxidation coloring treatment (bright, bronze, black), tube material specifications: diameter 22 mm, wall thickness 1.2 mm;
2. Handlebar: For wooden handlebars, beautiful and durable.
3. Foot: the lower branch adopts steel pipe, surface oxidation treatment, pipe material specification: diameter 19 mm, wall thickness 1.2 mm height adjustable, with rubber anti-slip foot pad, good landing performance, good stability. Supply of product accessories: The supply of our product accessories is convenient, fast and complete, and the accessories are standard and universal.

Name	Parameters
Handle length	127mm
Total width	38mm
Total high	700-925mm
Maximum static load	90kg
Net weight	0.4kg

Walking Cane with four feet For Elderly

Model: LA2003



Our company's product LA2003 is 924LISO11334-4 "single-arm operation of the walker requirements and test methods Part 4: three-legged or multi-legged cane" national standard as a reference standard for design and production, Q/DF4-2004 "Walking Aids" This enterprise standard as the implementation standard for design and production, Its structural features are as follows:

Main frame:The upper branch is made of aluminum alloy pipe material, the surface oxidation coloring treatment, pipe

material specifications: diameter, wall thickness; 22mm1.2mm

Legs:The lower branch is made of aluminum alloy pipe material, the surface oxidation coloring treatment, pipe material

specifications: diameter, wall thickness; 19mm1.2mm

Tripod:The tripod is made of aluminum alloy pipe material, the surface oxidation coloring treatment, the pipe material specifications: diameter, wall thickness; 16mm1.2mm

Base plate:For the plastic bottom plate, the use of PP material Foot pads:Four-foot landing structure, with rubber anti-slip foot pads, good landing performance, good stability, safe and reliable.

Performance:Height 10 gear adjustment, suitable for ~ crowd use, the inward stability of the product is not less than 1.5 degrees, outward stability energy is not less than 4.0 degrees1.55m1.75m.

ALUMINUM QUAD CANE
HEIGHT ADJUSTABLE

name	parameter
Handle length	12.2 cm
Total length	24cm
Total width	16.5cm
Total high	65~88cm
Packing size (L*W*H/pcs).	72*30*34 cm/10PCS
Maximum load	100kg
Net weight	0 · 52kg



Walking Seat Cane

Model: LA2004

Our company's product LA2004 is ISO11334-1 "single-arm operation of the walker requirements and test methods Part 1: elbow crutch" national standard as a reference standard for design and production, to Q/DF4-2009 "walking aids" this enterprise standard as the design and production of the implementation standard, its structural characteristics are as follows:911L

1. Main frame: aluminum alloy is used as the main material,
2. Handlebar: For the foam handlebar, beautiful and comfortable.
3. Tripod: three-legged landing, and with rubber non-slip foot pad, good landing performance, good stability.

ALUMINUM WALKING STICK WITH SEAT

name	parameter
Handle width	160mm
Seat height	500mm
Total width	280mm
Total length	470mm
Total high	850mm
Maximum static load	100kg
Net weight	0.78kg



Walking stick For Walking Support

Model: LA2005

Our company's product LA2005 is ISO11334-1 "single-arm operation of the walker requirements and test methods Part 1: elbow crutch" national standard as a reference standard for design and production, Q/DF4-2009 "walking aids" this enterprise standard as the implementation standard of design and production, its structural characteristics are as follows:

1. Main frame: the upper and lower limbs are made of aluminum alloy, the upper limb pipe material diameter is 22mm, the thickness is 1.2mm, the lower limb pipe material diameter is 19mm, the thickness is 1.2mm, and the surface is brightly treated;

2. Handlebar: "Choose TPR handlebar, beautiful and comfortable;

3. Foot: single foot landing, according to customer requirements, with different styles of all-round foot pads, good landing performance, good stability, height ten gear adjustment, turning foot can be universal rotation.

ALUMINUM WALKING STICK
HEIGHT ADJUSTABLE
WITH ULTRA-STABLE RUBBER TIP

Name	Parameters
Handle length	130mm
Total length	90mm
Total width	90mm
Total high	720-950mm
Maximum static load	100kg
Net weight	0.40kg



Aluminum Picking Stick

Model: LA2006

1. Protect Your Loved Ones: Assist your parents and grandparents with this easy to use, reliable walking cane. Perfect for seniors, elderly and injured persons

2. Comfortable offset foam grip handle evenly distributes body weight, reduces stress on user's hands and joints. Includes a wrist strap/lanyard so you can let go of your cane without it dropping to the floor.

3. Quick and easy one button height adjustment with locking silencer ring. Locking ring prevents rattling.

4. WALKING STICK improves mobility by evenly distributing weight while building strength and confidence

5. Suitable for: People with strong unilateral upper limb support, unilateral lower limb dysfunction, and unstable use of a single cane (such as hemiplegia patients).

6. Function description: Landing on four feet increases the support surface, improves the stability, and assists the patient to walk.

Name	Parameters
Total length	820mm
Total width	11.5mm
Total high	30mm
Net weight	0.33kg



Walking Canes

Model: LA2007

1. Assist to walk for the elderly and the disabled.
2. Quick and easy to adjust height with one bottom.
3. Elbow Crutches improve mobility by evenly distributing weight while building strength and confidence.
4. Suitable for: People with strong unilateral upper limb support, unilateral lower limb dysfunction, and unstable use of a single cane (such as hemiplegia patients).
5. Function description: Landing on four feet increases the support surface, improves the stability, and assists the patient to walk.

ALUMINUM ELBOW CRUTCH
 ADJUSTABLE ELBOW SUPPORT
 ADJUSTABLE HEIGHT

name	parameter
Total length	17cm
Total width	10cm
Total high	96~126cm
Handle length	10cm
Inward stability	>1.5°
Extroverted stability	>4.0°
Packing size (L*W*H).	95*29*31cm/20pcs
Maximum load	120kg
Net weight	0.57kg
Gross weight	12.1



Fashionable Walking Stick

Model: LA2008

Our company's product LA2008 is 938LISO11334-1 "single-arm operation of the walker requirements and test methods Part 1: elbow crutch" national standard as the reference standard for design and production, Q/DF4-2004 "walking aids" This enterprise standard as the implementation standard for design and production, its structural characteristics are as follows: Principal:Material aluminum alloy, tube diameter is not less than, wall thickness is not less than, the surface 22mm1.2mmof bronze oxidation treatment.

Credit:High-density foam handle pads are non-slip and comfortable. Large curved shank structure, good shock absorption and cushioning effect.

Tripod:Height adjustable, suitable for ~ crowd use;1.60m1.80m Foot pads:The material is elastic, wear-resistant, high surface friction coefficient of anti-slip rubber material, suitable for diameter 13mmpipe;

ALUMINUM WALKING STICK
HEIGHT ADJUSTABLE

name	parameter
Total length	16cm
Total width	4cm
Total high	77~100cm
Packing size (L*W*H/pcs).	79*29*184cm/20
Maximum load	90kg
Net weight	0.32kg



Walking cane with four feet

Model: LA2009

Our product LA2009 is based on GB/T 19545 4-2008 "Single-arm operation of the walker requirements and test methods Part 4: three-legged or multi-legged cane" national standard as the design and production of the implementation standard, its structural characteristics are as follows: Upper limbs: the use of lightweight aluminum alloy pipe material, pipe diameter of 22mm, thickness of 1.2mm, surface oxidation bronze treatment; with high-quality high-density foam grip, comfortable feel, beautiful and durable. Lower limbs: light aluminum alloy tube material, pipe diameter of 25mm, thickness of 1.2mm, surface spray powder black treatment.

Base frame: high-strength aluminum alloy pipe material, pipe diameter of 19mm, thickness of 1.5mm, surface spray powder black treatment; with high-quality rubber mats, good landing performance, good stability, high surface friction coefficient, anti-slip durable.

Performance: four-legged stable landing structure, safe and reliable; Height 9 gear adjustment, adapt to 1.55m-1.75m crowd use.

name	parameter
Total length	32cm
Total width	25cm
Total high	75—95cm
Packing size (L*W*H/pcs).	61*34*34cm/4PCS
Maximum load	100kg
net weight	3.4kg
gross weight	4.3kg

Collapsible Walking Sticks For Travel

Model: LA2010

Our company's product LA2010 is ISO11334-1 "single-arm operation of the walker requirements and test methods part 1: elbow crutch" national standard as a reference standard for design and production, to Q/ DF4-2004 "walking aids" this enterprise standard as the design and production of the implementation standard, its structural characteristics are as follows

Main frame:The upper branch adopts aluminum alloy tube, surface oxidation treatment (bright), tube material specification: diameter 22 mm, wall thickness 1.2 mm;

Legs:The lower branch adopts steel tube, the surface oxidation treatment (bright), tube material specification: diameter 19 mm, wall thickness 1.2 mm;

Achievement:Made of high-density foam plastic, non-slip, comfortable.

Performance:Single foot landing structure, with rubber anti-slip foot pad, good landing performance, good stability, safe and reliable. Height 10 gear adjustment, suitable for the elderly to use, the inward stability of the product is not less than 1.5 degrees, outward stability is not less than 4.0 degrees.

ALUMINUM WALKING STICK
HEIGHT ADJUSTABLE



name	parameter
Total length	16cm
Total width	4cm
Total high	75~98cm
Packing size (L*W*H/pcs)	68*35*18cm /20 sticks
Maximum load	100kg
Net weight	0.33kg
Gross weight	7.5kg



Handy Cane

Model: LA2011

LA2011 is a ISO11334-1 "single-arm operation of the walker requirements and test methods Part 1: elbow crutch" national standard as a reference standard for design and production, to Q/DF4-2009 "walking aids" this enterprise standard as the design and production of the implementation standard, its structural characteristics are as follows:9242L Main Frame:The upper branch adopts aluminum alloy as the main material, the pipe material specification: diameter 22mm, thickness 1.2mm; the lower branch is steel pipe material, pipe material specification: diameter 18.6mm, thickness 1.0mm; surface spraying treatment. Handles:For the foam handlebars, beautiful and comfortable. Tripod:The use of steel pipe as the main material, pipe material specifications: diameter 23mm, thickness 1.0mm, surface spray powder treatment. Sexual performance:The height of the product is adjustable, using four feet to land on the ground, and equipped with rubber non-slip foot pads, good landing performance, good stability.

ALUMINUM QUAD CANE
HEIGHT ADJUSTBALE
"TWO STEP" HANDLE

Name	Parameters
Handle length	11.5cm
Total length	22cm
Total width	17cm
Total high	79~94cm
Maximum static load	90kg
Packing size	86*30*40cm/10pcs
Net weight	0.83kg
Gross weight	9.6kg



Orthopedic Cane

Model: LA2012

1. Easy to adjust height with one bottom
2. Assist your parents and grandparents with this easy to use, reliable walking cane. Perfect for seniors, elderly and injured persons
3. WALKING STICK improves mobility by evenly distributing weight while building strength and confidence
4. Suitable for: People with strong unilateral upper limb support, unilateral lower limb dysfunction, and unstable use of a single cane (such as hemiplegia patients).
5. Function description: Landing on three feet increases the support surface, improves the stability, and assists the patient to walk.

ALUMINUM WALKING STICK
HEIGHT ADJUSTABLE
3-RUBBER-TIP BASE

Name	Parameters
Handle length	130mm
Total length	90mm
Total width	90mm
Total high	720-950mm
Maximum static load	100kg

Underarm Crutch

Model: LA2013



Our product aluminum alloy armrest is BASED ON GB/T 19545.2-2009 "Single Arm Operation Of Walker Requirements and Test Methods Part 2: Armpit Crutch" national standard, as a reference standard for design and production, Q/DF4-2015 < < The enterprise standard as the implementation standard of design and production, its structural characteristics are as follows:

Main frame: Adopt the main material of lightweight aluminum alloy, surface oxidation treatment, tube material specifications: diameter 19 mm, wall thickness 1.2 mm;

Legs: Using 6063T5 high-strength aluminum alloy aluminum alloy tube, surface oxidation treatment, tube material specifications: diameter 22 mm, wall thickness 1.22mm; **Tripod:** Light aluminum alloy tube, surface oxidation treatment, tube material specifications: diameter 25 mm, wall thickness 1.22 mm;

Armpit sleeve: The use of thickened antibacterial wear-resistant EVA material, anti-slip, comfortable, environmentally friendly and durable.

Foot pads: Single foot landing structure, with rubber anti-slip foot pad, good landing performance, good stability, safe and reliable.

Performance: Height 9 gear adjustment, suitable for 1.5m ~ 1.8m people to use, the product's inward stability is not less than 1.5 degrees, outward stability energy is not less than 4.0 degrees.

ALUMINUM UNDERARM CRUTCH
HEIGHT ADJUSTABLE
3 DIFFERENT SIZES

name	parameter
Total length	20.5cm
Total width	4.3cm
Total high	95-155 cm
Packing size (L*W*H/pcs).	119*33*29cm/20
Maximum load	180kg
Net weight	0.87kg



Walking Aid

Walking aid is a device designed to assist individuals with mobility challenges in walking safely and effectively, include Canes, Walkers (Frame-like structures that offer more stability with four points of contact), Rolling Walking Frame. Walking aids help improve mobility, increase independence, and reduce the risk of falls for individuals with physical limitations.



Adjustable Walking Frame

Model: LA2500

1. Main frame is using light aluminum alloy I, the surface is oxidized,
2. Step-by-step foldable structure is very convenient for use, storage and transportation.
3. Frame feet: adjustable in height, suitable for people from 1.2m to 1.5m; equipped with durable high-quality rubber non-slip feet, good elastic landing performance, good stability, and high surface friction coefficient.
4. Handle: Made of high-density foam, non-slip and comfortable.

ALUMINUM FRAME
HEIGHT ADJUSTABLE

name	parameter
Total length	39cm
Total width	62cm
Total high	51-61cm
Packing size (L*W*H/pcs).	52.5*22*63cm/2
Net weight	2.9kg



Rolling Walking Frame

Model: LA2501

1. Designed for safety and convenience, this rolling walker features push-button mechanisms that may be operated by fingers, palms, or even the side of the hand

2. Quality Construction: Constructed from sturdy aluminum, this walker offers maximum strength while remaining lightweight

3. A vinyl contoured hand grip, and newly designed rear glide caps that allow the walker to slide smoothly over most surfaces

4. Safe & Easy Operation: Each side of our medical walker operates independently to allow easy movement through narrow spaces and offer greater stability while standing superior comfort.

FOLDABLE ALUMINUM FRAME
HEIGHT-ADJUSTABLE HANDLE
WITH HAND BRAKES

name	parameter
Total length	65cm
Total width	46cm
Seat height off the ground	55cm
Total high	81-93cm
Packing size (L*W*H/pcs).	75.5*27*84cm/1
Net weight	7kg

Disability Walkers

Model: LA2502



1. Designed for safety and convenience, this rolling walker features push-button mechanisms that may be operated by fingers, palms, or even the side of the hand

2. Quality Construction: Constructed from sturdy aluminum, this walker offers maximum strength while remaining lightweight

3. A vinyl contoured hand grip, and newly designed rear glide caps that allow the walker to slide smoothly over most surfaces

4. Safe & Easy Operation: Each side of our medical walker operates independently to allow easy movement through narrow spaces and offer greater stability while standing superior comfort.

POWDER COATING STEEL FRAME
HEIGHT ADJUSTABLE HANDLE
WITH HAND BRAKES
8" CASTORS

name	parameter
Total length	70cm
Total width	43cm
Seat height off the ground	62cm
Total high	78-90cm
Packing size (L*W*H/pcs).	60*25*72cm/1
Net weight	10kg



Stand Up Walkers

Model: LA2503

1. Designed for safety and convenience, this walker features push-button mechanisms that may be operated by fingers, palms, or even the side of the hand

2. Quality Construction: Constructed from sturdy aluminum, this walker offers maximum strength while remaining lightweight

3. A vinyl contoured hand grip, and newly designed rear glide caps that allow the walker to slide smoothly over most surfaces

4. Safe & Easy Operation: Each side of our medical walker operates independently to allow easy movement through narrow spaces and offer greater stability while standing superior comfort.

ALUMINUM FRAME
HEIGHT ADJUSTABLE

name	parameter
Total length	70cm
Total width	47cm
Seat height off the ground	cm
Total high	78-96cm
Packing size (L*W*H/pcs).	53*17*81cm/2
Net weight	5.1kg



Walker Wheel Chair

Model: LA2504

1. Designed for safety and convenience, this rolling walker features push-button mechanisms that may be operated by fingers, palms, or even the side of the hand

2. Quality Construction: Constructed from sturdy aluminum, this walker offers maximum strength while remaining lightweight

3. A vinyl contoured hand grip, and newly designed rear glide caps that allow the walker to slide smoothly over most surfaces

4. Safe & Easy Operation: Each side of our medical walker operates independently to allow easy movement through narrow spaces and offer greater stability while standing superior comfort.

ALUMINUM FRAME
HEIGHT ADJUSTABLE HANDLE
WITH HAND BRAKES

name	parameter
Total length	68cm
Total width	46cm
Seat height off the ground	53cm
Total high	78-90cm
Packing size (L*W*H/pcs).	62*24*84cm/1
Net weight	7.4kg



Walking Booster

Model: LA2506

This Walking Aid Exoskeleton is designed for rehabilitation training, aiding elderly stroke and hemiplegia patients with lower limb mobility. Made of durable PBT material, it offers energy savings of over 30% on foot. Available in two sizes (S and M) and colors (Black/Blue), it provides tailored support for waist circumferences below or above 950mm. Suitable for hospitals, home care, and rehab centers, this lightweight (1.5kg) and foldable device ensures easy operation and portability.



Toilet Chair

Toilet chair, also known as a commode chair, is a mobility aid designed for individuals who have difficulty accessing a standard toilet. It typically features a sturdy frame with a seat and armrests, often equipped with a removable bucket or container underneath for waste. Toilet chairs provide a safe and convenient option for those with limited mobility, allowing them to use the restroom comfortably and privately, particularly in situations where a regular toilet may be inaccessible. They can be used in various settings, including homes, hospitals, and nursing facilities.



Bedside Commode

Model: LA3000

1. PORTABLE POTTY SEAT WHERE YOU NEED IT- functions as a toilet seat riser with handles or easily positions by the bed, in the living room, or wherever is most convenient.
2. STURDY ADULT TOILET CHAIR WITH SAFETY FRAME - makes getting up and sitting down a lot easier, giving you the stability, you deserve.
3. EASY CLEAN UP- our steel commode has plenty of capacity with an easy to remove pail featuring a splash guard lid on top.
4. TOOL-FREE ASSEMBLY- designed to be easily assembled by hand

FOLDABLE STEEL FRAME
PLASTIC HANDLE AND COMMUNE SEAT

name	parameter
Total length	48cm
Total width	43cm
Seat height off the ground	44cm
Total high	78cm
Seat Depth	40
Seat Height	35
Packing size (L*W*H/pcs).	79*43*55cm
Net weight	16.7kg



Elderly Toilet Chair

Model: LA3001

1.PORTABLE POTTY SEAT WHERE YOU NEED IT- functions as a toilet seat riser with handles or easily positions by the bed, in the living room, or wherever is most convenient.

2.STURDY ADULT TOILET CHAIR WITH SAFETY FRAME - makes getting up and sitting down a lot easier, giving you the stability, you deserve.

4.EASY CLEAN UP- our steel commode has plenty of capacity with an easy to remove pail featuring a splash guard lid on top.

5.TOOL-FREE ASSEMBLY- designed to be easily assembled by hand

6.24" wheel can be easy to travel round ,provides excellent sitting experience.

Foldable Chromed Steel Frame, Plastic Commode Seat, Flip-up Armrest And Detachable Footrest, Solid Castor And Solid Rear Wheel.

name	parameter
Total length	102cm
Total width	60cm
Total high	90cm
Packing size (L*W*H/pcs).	75*28*91cm
Backrest height	37cm
Seat depth	cm
Seat width	45cm
Seat height off the ground	53cm
Front wheel diameter	15cm
Rear wheel diameter	58cm
Maximum load	100kg
Net weight	19.6kg



Recliner toilet chair

Model: LA3002

1. PORTABLE POTTY SEAT WHERE YOU NEED IT- functions as a toilet seat riser with handles or easily positions by the bed, in the living room, or wherever is most convenient.

2. STURDY ADULT TOILET CHAIR WITH SAFETY FRAME - makes getting up and sitting down a lot easier, giving you the stability, you deserve.

3. EASY CLEAN UP- our steel commode has plenty of capacity with an easy to remove pail featuring a splash guard lid on top.

4. TOOL-FREE ASSEMBLY- designed to be easily assembled by hand

5. 24" wheel can be easy to travel round ,provides excellent sitting experience.

6. Recline high back

Foldable Chromed Steel Frame, U Shape Commode Seat, Reclining High Back, detachable Armrest And Elevating Footrest, Solid Castor And Rear Wheel.

name	parameter
Total length	115cm
Total width	64cm
Total high	129cm
Packing size (L*W*H/pcs).	107*33*78cm
Backrest height	79cm
Seat depth	cm
Seat width	44cm
Seat height off the ground	53cm
Front wheel diameter	20cm
Rear wheel diameter	58cm
Maximum load	100kg
Net weight	25.6kg



Bariatric commode

Model: LA3003

1. PORTABLE POTTY SEAT WHERE YOU NEED IT- functions as a toilet seat riser with handles or easily positions by the bed, in the living room, or wherever is most convenient.
2. STURDY ADULT TOILET CHAIR WITH SAFETY FRAME - makes getting up and sitting down a lot easier, giving you the stability, you deserve.
3. EASY CLEAN UP- our steel commode has plenty of capacity with an easy to remove pail featuring a splash guard lid on top.
4. TOOL-FREE ASSEMBLY- designed to be easily assembled by hand
5. 24" wheel can be easy to travel round ,provides excellent sitting experience.

Foldable Chromed Steel Frame, U Shape Commode Seat, Fixed Armrest And Footrest, Solid Castor And Rear Wheel.

name	parameter
Total length	115cm
Total width	64cm
Total high	129cm
Packing size (L*W*H/pcs).	107*33*78cm
Backrest height	79cm
Seat depth	cm
Seat width	44cm
Seat height off the ground	53cm
Front wheel diameter	20cm
Rear wheel diameter	58cm
Maximum load	100kg
Net weight	25.6kg



Shower Chair

Shower chair is a type of seating designed for use in a shower or bath. It provides support and stability for individuals who may have difficulty standing for long periods or who require assistance due to mobility issues, age, or injury. Shower chairs can vary in design but typically feature



Shower Commode Chair

Model: LA3004

1. Anti-slip seat surface with drainage holes provides excellent sitting experience.
2. Slip resistant rubber safety tips ensure safety while in use.
3. Adjustable seat height accommodates most users' needs.
4. Heavy duty anodized aluminum legs are corrosion resistant
5. Fits effectively with almost any bathmat and has easy tool-free assembly. Perfect for small size bathtub.

ALUMINUM FRAME
 ANTI-SLIDE RUBBER TIPS
 COMPACT PACKAGING
 U SHAPE SEAT

name	parameter
Total length	51cm
Total width	cm
Total high	73-83cm
Packing size (L*W*H/pcs).	59*49*75cm
Backrest height	41cm
Seat depth	37cm
Seat width	41cm
Seat height off the ground	34-44cm
Net weight	7.4kg



SHOWER CHAIR

Model: LA3005

1. Anti-slip seat surface with drainage holes provides excellent sitting experience.

2. 5"inch wheels ensure safety while in use.

3. Adjustable seat height accommodates most users' needs.

4. Heavy duty anodized aluminum frame

5. Fits effectively with almost any bathmat and has easy tool-free assembly. Perfect for small size bathtub.

ALUMINUM CHAIR FRAME
 LOCKABLE FRONT CASTORS
 FLIP-UP ARMREST
 U SHAPE SEAT

name	parameter
Total length	75cm
Total width	cm
Total high	88cm
Packing size (L*W*H/pcs).	67*29*53cm
Backrest height	37cm
Seat depth	39cm
Seat width	44cm
Seat height off the ground	48cm
Net weight	5.9kg



Mobile Shower Commode

Model: LA3006

1. Anti-slip seat surface with drainage holes provides excellent sitting experience.
2. Slip resistant rubber safety tips ensure safety while in use.
3. Adjustable seat height accommodates most users' needs.
4. Heavy duty anodized aluminum legs are corrosion resistant
5. Fits effectively with almost any bathmat and has easy tool-free assembly. Perfect for small size bathtub.

ALUMINUM FRAME
HEIGHT ADJUSTABLE

name	parameter
Total length	42cm
Total width	cm
Total high	78-84cm
Packing size (L*W*H/pcs).	68*19*39cm
Backrest height	40cm
Seat depth	30cm
Seat width	50cm
Seat height off the ground	35-45cm
Net weight	5.9kg



Washroom Chair

Model: LA3007

1. Anti-slip seat surface with drainage holes provides excellent sitting experience.
2. Slip resistant rubber safety tips ensure safety while in use.
3. Adjustable seat height accommodates most users' needs.
4. Heavy duty anodized aluminum legs are corrosion resistant
5. Fits effectively with almost any bathmat and has easy tool-free assembly. Perfect for small size bathtub.

ALUMINUM FRAME
ANTI-SLIDE RUBBER TIPS
COMPACT PACKAGE

name	parameter
Total length	51cm
Total width	cm
Total high	72-85cm
Packing size (L*W*H/pcs).	56*52*45cm
Backrest height	35cm
Seat depth	37-40cm
Seat width	53cm
Seat height off the ground	41-54cm
Net weight	7.6kg



Bathroom Grab Bar

Bathroom grab bar is a safety device installed in bathrooms to provide support and stability for individuals while entering, exiting, or using bathroom fixtures such as showers, bathtubs, and toilets. Key features of grab bars include



White Powder- coated Grab Bar

Model: DH5004

Steel grab bar

White powder-coated surface treatment

3.3cm Tube diameter

Length: 14cm/53cm/60cm/80cm/106cm/120cm



Bathtub Grab Bar

Model: DH5006

Steel grab bar

White powder-coated surface treatment

Height: 60cm/ 80cm



Chrome Plated Grab Bar

Model: DH5007

Steel grab bar

Chrome Plating surface treatment

3.3cm tube diameter

Length: 14cm/53cm/60cm/80cm/106cm/120cm



Nylon Grab Bar

Model: DH5005

Polybag packed

Colour: white/ yellow

Length: 300mm

With screws